

Spacer 100x100mm

Assembly instructions

The VESA spacer is compatible with all 100 x 100 mm VESA monitors.

Dell U3417W, MSI G2422, MSI G2422P, MSI G253PF, MSI G2722. MSI G272C, MSI G272COP, MSI G272OPF, MSI G274CV, MSI G27C6 E2, MSI G27C6P E2, MSI G281UV, MSI G321CU, MSI G321CUV, MSI G321Q, MSI G322C, MSI G322CQP, MSI G323CV, MSI MAG 275CQRF QD, MSI MAG 325CQRF QD, MSI MAG ARTYMIS 274CP, MSI MAG ARTYMIS 324CP, MSI MAG321QR QD, MSI MAG401QR, MSI MEG 342C QD OLED, MSI MPG ARTYMIS 273CQR, MSI MPG ARTYMIS 273CQR QD, MSI MPG ARTYMIS 273CQRX QD, MSI MPG ARTYMIS 323CQR, MSI MPG ARTYMIS 343CQR, MSI Oculux NXG251R, MSI Oculux NXG252R, MSI Oculux NXG253R, MSI Optix G242, MSI Optix G242P, MSI Optix G243, MSI Optix G24C6, MSI Optix G24C6P, MSI Optix G251F, MSI Optix G251PF, MSI Optix G272, MSI Optix G272P, MSI Optix G273, MSI Optix G273QF, MSI Optix G273QPF, MSI Optix G27C6, MSI Optix G27C6P, MSI Optix G27C7, MSI Optix G27C7P, MSI Optix MAG241C, MSI Optix MAG241CP, MSI Optix MAG241CV, MSI Optix MAG245R, MSI Optix MAG245R2, MSI Optix MAG251RX, MSI Optix MAG270CR, MSI Optix MAG271CV, MSI Optix MAG271R, MSI Optix MAG271V, MSI Optix MAG272CQP, MSI Optix MAG272CQR, MSI Optix MAG272CRX, MSI Optix MAG273, MSI Optix MAG273R, MSI Optix MAG274, MSI Optix MAG2742, MSI Optix MAG274QRF, MSI Optix MAG274QRF QD, MSI Optix MAG274QRX, MSI Optix MAG274R2, MSI Optix MAG275R, MSI Optix MAG275R2, MSI Optix MAG281URF, MSI Optix MAG281URV, MSI Optix MAG321CQR, MSI Optix MAG321CURV, MSI Optix MAG321QR, MSI Optix MAG322CQRV, MSI Optix MEG381CQR Plus, MSI Optix MPG27CQ2, MSI Optix MPG321QRF QD, MSI Optix MPG321UR QD, MSI Optix MPG341CQR, MSI Optix MPG341CQRV, **MSI Optix MPG341QR**



This adapter makes it possible to use VESA holes that are otherwise difficult or





impossible to access.

With the VESA adapter, you can easily attach your monitor of various brands to a monitor arm with a VESA hole pattern (100 \boldsymbol{x} 100 \boldsymbol{mm}). Use the screws supplied for this.

If you want to attach your VESA adapter directly to the wall, use suitable screws and wall plugs $(not\ included)$.

Important Safeguards



Please read these instructions carefully and keep them for future reference. If you pass the product on to third parties, these instructions should always be included. Failure to follow these instructions may result in injury or damage to persons or the product, for which we cannot accept any liability.

IMPORTANT - KEEP FOR FUTURE REFERENCE.

- This product should always be used in accordance with the specified safety instructions.
- Do not install your VESA adapter in combination with the monitor in places where there are people below.
- Do not exceed the maximum weight of the compatible monitor models as this may result in serious injury or damage to property.
- Observe the maximum ambient temperature of 35°C when using the product.
- Do not mount the VESA adapter near a heat source or in direct sunlight, as this could heat up the adapter.
- Check whether your mounting point (e.g. monitor arm) can withstand the weight of the monitor with VESA adapter.
- The product is designed exclusively for mounting with a hole pattern of 75x75 mm.
- After installing the VESA adapter, the position of the monitor must be readjusted to ensure correct ergonomics.

A CAUTION

Ensure that the device is switched off and disconnected from the power supply before installation to avoid possible injury or damage.

1. Before First Use

Check the product carefully for possible transport damage and for the absence of accessories, such as screws, which should be included in the scope of delivery.

A CAUTION

Make sure that packaging materials and small screws and parts contained therein are inaccessible to children to minimize the risk of choking and other risks.

2. Maintenance and Cleaning

2.1 Maintenance

- It is recommended to check every three months that all screws are still tight. Also, regularly check the condition of all components of the product.
- Store the product in a cool and safe place, ideally at a maximum storage temperature of 40°C. For additional safety, keep the product away from children and preferably in its original packaging.
- Avoid any vibrations and shocks so as not to affect the life and functionality of the product.

2.2 Cleaning

- No corrosive or hot cleaning agents should be used to clean the product. Likewise, wire brushes, metal or other sharp materials are unsuitable for cleaning and should not be used.
- For gentle and effective cleaning, the use of a soft, damp cloth is recommended.

3. Waste Disposal

For the disposal of this product we recommend to contact the responsible local authorities or disposal services. They can provide you with detailed information on available disposal options and recycling centers in your area.

4. Manufacturer Information

3idee Technologies S.à r.l. 5 Um Lenster Bierg L-6125 Junglinster Luxembourg

5. Help and Feedback

If you need help with your article, we are here for you. We also appreciate any feedback.

https://help.3idee.eu/en/contact

Scope of Delivery Accessories



1x Spacer 100x100mm

Horizontal / Vertical Alignment

Not all VESA adapters and monitors are suitable for vertical alignment. (upright)

This is due to the geometry of the adapter / monitor, which in some cases cannot be achieved in any other way.

We would like to point out that this information should not be disregarded under any circumstances, as the adapter will very quickly reach its durability limit if it is not mounted as specified.

We always try to develop monitors for vertical (upright) mounting.

The standard orientation of a monitor is horizontal.

Horizontal Mounting: YES



Vertical Mounting: YES



General dimensions

VESA hole size: 100mm x 100mm


VESA hole ø: 4.7mm


Inner Dimension a: 65mm x 65mm

Outer Dimension a: 77.7mm

Height: 30mm

Outer Dimensions: 110mm x 110mm





Assembly Instruction

Step 1




Figure 1